



## References

1. ACIP. Advisory Committee on Immunization Practices (ACIP) recommended immunization schedules for persons aged 0 through 18 years and adults aged 19 years and older – United States, 2013. *MMWR*. 2013;62(01):1-1. Available at: [http://www.cdc.gov/mmwr/preview/mmwrhtml/su6201a1.htm?s\\_cid=su6201a1\\_w](http://www.cdc.gov/mmwr/preview/mmwrhtml/su6201a1.htm?s_cid=su6201a1_w).
2. Centers for Disease Control and Prevention. Seasonal Influenza (Flu). Available at: <http://www.cdc.gov/flu/fluview/>.
3. DiazGranados CA, Denis M, Plotkin S. Seasonal influenza vaccine efficacy and its determinants in children and non-elderly adults: a systematic review with meta-analysis of controlled trials. *Vaccine*. 2012;31:49-57. Abstract available at: <http://www.ncbi.nlm.nih.gov/pubmed/23142300>.
4. Charu V, Viboud C, Simonsen L, et al. Influenza-related mortality trends in Japanese and American seniors: evidence for the indirect mortality benefits of vaccinating schoolchildren. *PLoS One*. 2011;6(11):e26282. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3210121/>.
5. Herrera GA, Iwane MK, Cortese M, et al. Influenza vaccine effectiveness among 50-64-year-old persons during a season of poor antigenic match between vaccine and circulating influenza virus strains: Colorado, United States, 2003-2004. *Vaccine*. 2007;25:154-160. Abstract available at: <http://www.ncbi.nlm.nih.gov/pubmed/17064823>.